




Combine classic good looks with the ultimate in flexibility with the **Marquis Collection**.

ZERO CLEARANCE DIRECT VENT GAS FIREPLACE

Corner Framing Dimensions (inches)

MQ19ZDV

A	19 ¹ / ₂ "
B	12 ⁷ / ₈ "
C	9 ¹ / ₂ "
D	27 ⁷ / ₈ "
E	19 ⁵ / ₈ "
F	39"



Top Flue Model	Height		Front Width		Depth	
	Actual	Framing	Actual	Framing	Actual	Framing
MQ19ZDV	32 ⁷ / ₈ "	33"	19 ⁵ / ₈ "	19 ⁵ / ₈ "	15 ⁵ / ₈ "	15"

Top Flue Model	Width	Height
VIEWING AREA		
MQ19ZDV	13 ⁷ / ₈ "	18 ³ / ₄ "



Model	MQZDV1917N	MQZDV1917P
Flue	top	top
Fuel	natural	propane
Input Max.	17,000 BTU	17,000 BTU
Input Min.	11,800 BTU	13,000 BTU
Output Max.	12,750 BTU	12,750 BTU
Efficiency	75%	75%
FE (P4.1-02)	60.6%	60.6%

STANDARD FEATURES

- > Millivolt valve system allows operation during a power failure with Hi/Low heat and flame adjustment
- > Dual burner with Realistic Flame Pattern
- > A flame sensor that constantly monitors the pilot flame and provides 100% gas shut off if pilot is not sensed

OPTIONAL FEATURES

Grill and Arch Door Kit:

- > Diamond Pattern – Black, Vintage Copper Vein, and Pewter
- > Leaf Pattern – Black, Vintage Copper Vein, and Pewter

Finishing Surround:

- > Arch Surround – Black, Vintage Copper Vein, and Pewter
- > Straight Surround – Black, Vintage Copper Vein, and Pewter

Fireplace Accessory Options:

- > Porcelain Reflective Liner
- > Classic Brick Liner
- > Fan Kit - Heat activated with variable speed control
- > Thermostat Millivolt - Wall Mount or Programmable
- > Remote Control - On/Off, Thermostat, Thermostat/Modulating or Thermostat/Modulating/Fan



S E R E N I T Y

marquis
COLLECTION | by Kingsman

marquis
COLLECTION | by Kingsman

EVOLUTIONARY STYLE. REVOLUTIONARY FLEXIBILITY.

Kingsman maintains a program of continuous testing refinement and improvements of all its products. Some aspect of units shown here may be changed at any time without notice or obligation.
Certification: The model MQZDV1917 is certified as a vented gas fireplace heater to ANSI Z21.88-2002/CSA3.3-2002, ANSI Z21.88-2003/CSA2.33-2003, ANSI Z21.88B-2003/CSA2.33B-2003, CAN/CGA 2.17-M91.



2340 Logan Avenue
Winnipeg, Manitoba, Canada R2R 2V3
Phone: 204.632.1962 Fax: 204.632.1960
www.marquisfireplaces.net

Unit illustrated is a MQZDV1917N Zero Clearance Direct Vent Fireplace – Natural Gas, with MQLOGC19 Split Oak Log Set, MQ19GDPW Pewter Diamond Pattern Arch Door and Grill, MQ19SSPW Pewter Straight Surround, and MQ19RLC Classic Brick Liner.

Enjoy warmth and quality together with an unprecedented array of custom options to transform your fireplace into something truly unique!



Create a welcoming statement in your home with the classic styling of the Serenity. Elegantly appointed with rich details, this contemporary direct vent fireplace is ideally suited to a variety of hearth and mantle options.

You'll also enjoy customizing your unit with a choice of diamond or leaf pattern grill covers, brick liners, arch or straight surrounds in a variety of colours - black, pewter or vintage copper vein.



1 Unit illustrated is a MQZDV1917N Zero Clearance Direct Vent Fireplace – Natural Gas, with MQLOGC19 Split Oak Log Set, MQ19GLBL Black Leaf Pattern Arch Door and Grill, MQ19SABL Black Arch Surround, with MQ19RLC Classic Brick Liner.



2 Unit illustrated is a MQZDV1917N Zero Clearance Direct Vent Fireplace – Natural Gas, with MQLOGC19 Split Oak Log Set, MQ19GDPW Pewter Diamond Pattern Arch Door and Grill, MQ19SSPW Pewter Straight Surround, with MQ19RLC Classic Brick Liner.



3 Unit illustrated is a MQZDV1917N Zero Clearance Direct Vent Fireplace – Natural Gas, with MQLOGC19 Split Oak Log Set, MQ19GLCV Vintage Copper Vein Leaf Pattern Arch Door and Grill, MQ19SACV Vintage Copper Vein Arch Surround, with MQ19RLC Classic Brick Liner.

S E R E N I T Y

EVOLUTIONARY STYLE. REVOLUTIONARY FLEXIBILITY.

marquis
COLLECTION | by Kingsman




Combine classic good looks with the ultimate in flexibility with the **Marquis Collection**.

ZERO CLEARANCE DIRECT VENT GAS FIREPLACE

Corner Framing Dimensions (inches)

LOUVERED			CLEANVIEW CIRCULATING KIT (CVCK)		
MQZDV36	MQZDV42	MQZDV47	MQZDV36	MQZDV42	MQZDV47
A 54 ¹ / ₁₆ "	58 ¹ / ₁₆ "	65 ¹ / ₁₆ "	A 59 ⁹ / ₁₆ "	63 ³ / ₁₆ "	70 ³ / ₁₆ "
B 36 ⁵ / ₈ "	42 ³ / ₈ "	47 ⁵ / ₈ "	B 38 ⁷ / ₈ "	42 ⁷ / ₈ "	48 ⁹ / ₈ "
C 36"	41 ⁷ / ₈ "	47 ¹ / ₈ "	C 38 ¹ / ₈ "	42 ¹ / ₈ "	48 ¹ / ₈ "
D 9 ¹ / ₁₆ "	8 ¹ / ₁₆ "	8 ⁵ / ₁₆ "	D 10 ¹ / ₁₆ "	10 ¹ / ₁₆ "	10 ⁷ / ₁₆ "
E 38 ³ / ₄ "	41 ⁵ / ₈ "	46 ¹ / ₈ "	E 42 ³ / ₈ "	45 ¹ / ₈ "	49 ³ / ₈ "
F 12 ³ / ₈ "	13 ¹ / ₈ "	13 ⁵ / ₁₆ "	F 12 ³ / ₈ "	13 ³ / ₈ "	13 ⁵ / ₁₆ "
G 17 ⁷ / ₁₆ "	19 ¹ / ₂ "	19 ¹ / ₁₆ "	G 17 ⁷ / ₁₆ "	19 ¹ / ₂ "	19 ¹ / ₁₆ "
H 27 ⁵ / ₈ "	29 ¹ / ₁₆ "	32 ⁵ / ₈ "	H 29 ¹ / ₁₆ "	31 ¹ / ₈ "	35 ¹ / ₁₆ "



Top Flue Model	Height		Front Width		Depth	
	Actual	Framing	Actual	Framing	Actual	Framing
LOUVERS						
MQZDV36	34 ¹ / ₁₆ "	35"	36"	36 ³ / ₈ "	16 ⁷ / ₁₆ "	17"
MQZDV42	37"	37 ¹ / ₈ "	41 ⁷ / ₈ "	42 ³ / ₈ "	16 ⁷ / ₁₆ "	17"
MQZDV47	43 ¹ / ₁₆ "	43 ¹ / ₈ "	47 ¹ / ₁₆ "	47 ³ / ₈ "	19 ⁷ / ₁₆ "	19 ¹ / ₂ "
CLEAN VIEW CIRCULATING KIT (CVCK)						
MQZDV36	34 ¹ / ₁₆ "	41"	38 ¹ / ₁₆ "	38 ⁷ / ₁₆ "	18 ⁷ / ₁₆ "	19 ¹ / ₂ "
MQZDV42	36 ⁵ / ₁₆ "	43"	42 ¹ / ₁₆ "	42 ⁷ / ₁₆ "	18 ⁵ / ₁₆ "	19 ¹ / ₂ "
MQZDV47	49"	49 ¹ / ₈ "	48 ¹ / ₁₆ "	48 ⁷ / ₁₆ "	21 ¹ / ₁₆ "	22"

Top Flue Model	Width	Height
VIEWING AREA		
MQZDV36	29 ¹ / ₄ "	18 ⁵ / ₈ "
MQZDV42	33 ³ / ₄ "	20 ⁵ / ₈ "
MQZDV47	39 ¹ / ₂ "	26 ⁵ / ₈ "

Model	MQZDV3636N MQZDV4236N	MQZDV3636LP MQZDV4236LP	MQZDV4736N	MQZDV4736LP
Flue	top	top	top	top
Fuel	natural	propane	natural	propane
Input Max.	30,500 BTU	29,000 BTU	40,000 BTU	36,000 BTU
Input Min.	20,600 BTU	22,200 BTU	27,000 BTU	30,000 BTU
Output Max.	22,875 BTU	21,750 BTU	-	-
Efficiency	75%	75%	-	-
FE (P4.1-02)	60.9%/56.8%	62.4%/56.8%	46.5%	42.5%

STANDARD FEATURES

- > Millivolt valve system allows operation during a power failure with Hi/low heat and flame adjustment
- > Dual burner with Realistic Flame Pattern
- > A flame sensor that constantly monitors the pilot flame and provides 100% gas shut off if pilot is not sensed

OPTIONAL FEATURES

- Designer Clean View Circulating Kit** – No Louvers Required, Optional Pull Screens
- Decorative Black Panels or Grills** – Grills available in Black, Classic Series Black with Polish Brass, Antique or Chrome Accents
- Overlay Doors** – Deluxe, Top Half, Double Arch and Double Door
- Designer Doors** – Arch or Straight Black Doors with Antique, Polished or Chrome Trims
- Surrounds Wide (Louvered Units)** – Polish Brass, Antique or Chrome Coverage – MQZDV3636 – 35¹/₂" h x 41¹/₈" w
MQZDV4236 – 37⁵/₈" h x 45¹/₈" w
MQZDV4736 – 43⁵/₈" h x 50¹/₈" w
- Surrounds Slim Line (Louvered Units)** – Polish Brass, Antique Brass, Chrome or Gun Metal Black, Coverage – MQZDV3636 – 34¹/₄" h x 37¹/₂" w
MQZDV4236 – 37⁵/₈" h x 43⁵/₈" w
MQZDV4736 – 43⁵/₈" h x 48⁵/₈" w



- Fan Kit** – Heat activated with variable speed control
- Brick Refractory Liner** – Traditional, Herringbone or Classic (36" & 42" models only)
- Thermostat** – Wall Mount Millivolt Thermostat or Programmable Thermostat
- Remote Control** – On/Off, Thermostat On/Off, Hi/Lo On/Off
- Child Safety Screen**



SOLACE

marquis
COLLECTION | by Kingsman

EVOLUTIONARY STYLE. REVOLUTIONARY FLEXIBILITY.

Kingsman Industries maintains a program of continuous testing refinement and improvements of all its products. Some aspect of units shown here may be changed at any time without notice or obligation.
Certification: The model MQHBZDV4736N is certified to ANSI Z21.50-2000/CSA 2.23a-2000, CGA 2.17-M91, CSA P4.1-02 vented gas fireplace. The models MQHBZDV4236N and MQHBZDV4736N are certified to ANSI Z21.886-2003/CSA 2.23b-2003, CAN/CGA 2.17-M91, CSA P4.1-02 vented gas fireplace heater.



2340 Logan Avenue
Winnipeg, Manitoba, Canada R2R 2V3
Phone: 204.632.1962 Fax: 204.632.1960
www.marquisfireplaces.net



Unit illustrated is the MQHBZDV4736N, Direct Vent Fireplace, with LOGF36 Fiber Split Oak Log Set, HB47CVCK Designer Clean View Circulating Kit, HB47RLH Herringbone Brick Liner, HB47DDS1BL Designer Straight Door.

Enjoy warmth and quality together with an unprecedented array of custom options to transform your fireplace into something truly unique!



Create a welcoming statement in your home with the classic styling of the Solace. Elegantly appointed with rich details, this contemporary direct vent fireplace is ideally suited to a variety of hearth and mantle options.

You'll also enjoy customizing your unit with a choice of traditional or herringbone brick liners, clean view or louvered styles and grill finishes.



1 Unit illustrated is the MQHBZDV4736N, Direct Vent Fireplace, with LOGF36 Fiber Split Oak Log Set, HB47CVCK Designer Clean View Circulating Kit, HB47RLH Herringbone Brick Liner, HB47DDA1BL Designer Arch Door.

2 Unit illustrated is a MQHB4236N Direct Vent Fireplace, with LOGF36 Fiber Split Oak Log Set, HB42GBP Polish Brass Classic Grills, HB42RLT Traditional Brick Liner.

S O L A C E

EVOLUTIONARY STYLE. REVOLUTIONARY FLEXIBILITY.





ZERO CLEARANCE DIRECT VENT GAS FIREPLACE



ZERO CLEARANCE DIRECT VENT GAS FIREPLACE



S O L A R A



S O L A R A

 **marquis**
COLLECTION | by Kingsman

EVOLUTIONARY STYLE. REVOLUTIONARY FLEXIBILITY.

 **marquis**
COLLECTION | by Kingsman

EVOLUTIONARY STYLE. REVOLUTIONARY FLEXIBILITY.

Unit illustrated is a MQZDV3622N Zero clearance direct vent fireplace – natural gas, with MQLOGC22 Split Oak Log Set, Z36CVCK Designer clean view circulating kit, Z3622ML Metal brick liner, and optional VLBIT6 Small log bits.

Unit illustrated is a MQZDV3622N Zero clearance direct vent fireplace – natural gas, with MQLOGC22 Split Oak Log Set, ZIGBL Black grill kit, Z3622ML Metal brick liner, Z36ADDA Double arch door frame, and optional VLBIT6 Small log bits.



Create a unique look for your fireplace with an incredible selection of custom options and quality styling.



**PAINTED BROWN®
WALL SURROUND**
with black band accents.

**PEWTER
WALL SURROUND**
with black and chrome
band accents.


**PAINTED BLACK®
WALL SURROUND**
with black corner accents.



* Choose your own color with Stone Bright Paint!

Corner Framing Dimensions (inches)

	LOUVERED		CLEANVIEW CIRCULATING KIT (CVCK)	
	MQZDV3318	MDZDV3622	MQZDV3318	MDZDV3622
A	43 ⁵ / ₁₆ "	50 ⁵ / ₁₆ "	48 ⁷ / ₈ "	56"
B	33"	36 ⁵ / ₈ "	33 ⁷ / ₈ "	38 ⁷ / ₁₆ "
C	32 ¹ / ₂ "	36"	33 ⁷ / ₁₆ "	38 ¹ / ₁₆ "
D	5 ³ / ₈ "	7 ⁵ / ₁₆ "	7 ¹ / ₂ "	8 ³ / ₄ "
E	31"	36"	34 ⁵ / ₁₆ "	39 ⁵ / ₁₆ "
F	8 ¹ / ₂ "	11"	8 ¹ / ₂ "	11"
G	12"	15 ¹ / ₄ "	12"	15 ⁵ / ₈ "
H	21 ⁷ / ₈ "	25 ¹ / ₂ "	24 ⁷ / ₁₆ "	28"



Top Flue Model	Height		Front Width		Depth	
	Actual	Framing	Actual	Framing	Actual	Framing
LOUVERS						
MQZDV3318	30 ¹ / ₂ "	31"	32 ⁵ / ₈ "	33"	15 ¹ / ₄ "	15 ¹ / ₄ "
MQZDV3622	33 ¹ / ₂ "	34"	36"	36 ⁵ / ₈ "	15 ¹ / ₁₆ "	15 ¹ / ₄ "
CLEANVIEW CIRCULATING KIT (CVCK)						
MQZDV3318	30 ⁵ / ₈ "	33 ³ / ₁₆ "	33 ³ / ₁₆ "	33 ⁵ / ₈ "	18 ⁵ / ₁₆ "	17 ¹ / ₄ "
MQZDV3622	33 ³ / ₄ "	36 ¹ / ₄ "	38 ¹ / ₁₆ "	38 ⁷ / ₁₆ "	18 ¹ / ₁₆ "	17 ³ / ₄ "

Top Flue Model	Width	Height
VIEWING AREA		
MQZDV3318	25 ¹ / ₂ "	14 ⁵ / ₁₆ "
MQZDV3622	29 ³ / ₄ "	16 ⁵ / ₈ "

Model	MQZDV3318N	MQZDV3318LP	MQZDV3622N	MQZDV3622LP
Fuel	natural	propane	natural	propane
Input Max.	19,000 BTU	18,000 BTU	21,000 BTU	21,000 BTU
Input Min.	12,100 BTU	11,900 BTU	14,200 BTU	16,200 BTU
Output Max.	14,250 BTU	13,500 BTU	15,750 BTU	15,750 BTU
Efficiency	75%	75%	75%	75%
FE (P4.1-02)	53.4%	51.4%	63.9%	60.2%

MQSW Wall Mount Surround Dimensions (inches)

	MQ335WF	MD365WF
A	35 ⁵ / ₁₆ "	37 ³ / ₁₆ "
B	45 ¹ / ₁₆ "	50 ⁵ / ₁₆ "
C	28 ³ / ₈ "	32 ⁵ / ₁₆ "
D	17 ¹ / ₁₆ "	19 ⁵ / ₁₆ "
E	8 ³ / ₄ "	8 ³ / ₄ "
F	8 ³ / ₄ "	8 ³ / ₄ "
G	8 ³ / ₄ "	8 ³ / ₄ "
H	1"	1"
I	1 ³ / ₁₆ "	1 ³ / ₁₆ "

STANDARD FEATURES

- > Hi/low Millivolt valve system, will operate during power failures.
- > Mobile Home, Bedroom and Bed Sitting Room approved.
- > A Flame Sensor that constantly monitors the pilot flame and provides 100% gas shut off if pilot is not sensed.

OPTIONAL FEATURES

- Designer Clean View Circulating Kit – No Louvers Required.
- Decorative Black Panels or Grills – Grills available in Black, Classic Series Black with Antique, Chrome or Polish Brass accents
- Designer Black Arch Door – Deluxe, Top Half, Double Arch and Double Door
- Surrounds Wide (Louvered Units) - Polish Brass, Antique or Chrome
Coverage – MQZDV3318 – 31³/₁₆" h x 36⁵/₈" w
MQZDV3622 – 34¹/₄" h x 41¹/₈" w
- Surrounds Slim Line (Louvered Units) - Polish Brass, Antique Brass, Chrome or Gun Metal Black
Coverage – MQZDV3318 – 30⁷/₈" h x 33⁷/₈" w
MQZDV3622 – 34¹/₄" h x 37¹/₂" w
- Fan Kit – Heat activated with variable speed control
- Thermostat – Wall Mount Millivolt Thermostat or Programmable Thermostat
- Remote Control – On/Off, Thermostat, Thermostat/Modulating or Thermostat/Modulating Fan
- Child Safety Screen
- Porcelain Reflective Liner or Metal Brick Liner



- Wall Surrounds – Choice of Black or Pewter
- Wall Surrounds Accents
 - > Keystone – Brushed Chrome or Black
 - > Designer Band Accents – 4 x Black (sm), 2 x Chrome (lg)
 - > Designer Corner Accents – 4 x Black

SOLARA

EVOLUTIONARY STYLE. REVOLUTIONARY FLEXIBILITY.

Kingman Fireplaces maintains a program of continuous testing, refinements and improvements of all its products. Some aspect of units shown here may be changed at any time without notice or obligation.
Certification: The models MQZDV3318N, MQZDV3318LP, MQZDV3622N, MQZDV3622LP are certified to ANSI Z21.88b-2003, CSA 2.33b-2003, CAN/CGA 2.17-MPI, CSA P4.1-02 vented gas fireplace heater.



2340 Logan Avenue
Winnipeg, Manitoba, Canada R2R 2V3
Phone: 204.632.1962 Fax: 204.632.1960
www.marquissfireplaces.net



Unit illustrated is a MQZDV3622N Zero clearance direct vent fireplace – natural gas, with MQROCK1 Contemporary Rock Collection, MQRSP5 Rock support platform, Z36CVCK Designer clean view circulating kit, MQ365WFBL Black Wall Surround, MQ365WAKSC Chrome Keystone accent, Z3622PRL Porcelain Reflective Liner.

WALL SURROUNDS



CONVEX

EVOLUTIONARY STYLE. REVOLUTIONARY FLEXIBILITY.



Unit illustrated is a MQHBZDV4236N Direct Vent Fireplace with LOGF36 Log Set, HB42RLH Herringbone Brick Liner, HB42CVCK Designer Clean View Circulating Kit, MQHB42WSCVBL Marquis Wall Surround - Black.

WALL SURROUNDS



CONCAVE

EVOLUTIONARY STYLE. REVOLUTIONARY FLEXIBILITY.




Unit illustrated is a HBZDV4224N Direct Vent Fireplace with MQROCK1 Contemporary Rock Collection, MQRSP3 Rock Support Platform, HB42CVCK Designer Clean View Circulating Kit and MQHB42WSCCPW Marquis Wall Surround - Pewter.

Add a contemporary fireplace to your new or existing home with the **Marquis Collection** by Kingsman.


Clean lines together with a convex or concave wall surround with a large viewing area make this a distinctive choice for your home. Available in two neutral finishes (Black and Pewter), the sleek Euro-inspired design provides a dramatic focal point while adhering to the highest standards of engineering and craftsmanship.




W A L L S U R R O U N D S



C O N C A V E



Concave	A	B	C	D	E	F	G	H	I	J	L
HB36	40 1/2"	49 1/2"	32 1/2"	21 5/8"	9 1/2"	9 1/2"	8 1/2"	2"	1 1/2"	5 1/2"	32 3/8"
HB42	42 1/8"	55 5/8"	36 5/8"	23 1/8"	9 1/2"	9 1/2"	9 1/2"	2"	1 1/2"	5 1/2"	36 5/8"
HB47	48 1/16"	61 5/8"	42 3/8"	29 1/8"	9 1/2"	9 1/2"	9 1/2"	3"	1"	6 1/2"	42 3/8"



Convex	A	B	C	D	E	F	G	H	I	J	L
HB36	41"	40 1/2"	32 3/4"	21 5/8"	9 1/2"	9 1/2"	4"	1 3/16"	2 1/16"	6 1/8"	32 3/8"
HB42	42 3/8"	44 1/3"	36 3/8"	23 3/8"	9 1/2"	9 1/2"	4"	1 3/16"	3 1/8"	6 3/8"	36 5/8"
HB47	48"	50 5/8"	42 3/8"	29 1/16"	9 1/2"	8 9/16"	4"	1 3/16"	3 1/16"	7 1/8"	42 3/8"

To determine which fireplace models accommodate the convex and concave surrounds, please refer to the chart below. The contemporary rock collection is also available for use with a wide variety of models.

MODELS	MQHB_SWCCBL	MQHB_SWCCPW	MQHB_SWCVBL	MQHB_SWCPW	MQROCKI
	Wall Surround Concave - Black	Wall Surround Concave - Pewter	Wall Surround Convex - Black	Wall Surround Convex - Pewter	Contemporary Rock Collection
HBZDV3624	X	X	X	X	X
HBZDV3628	X	X	X	X	X
HBZDV3632	X	X	X	X	
HBZDV4224	X	X	X	X	X
HBZDV4228	X	X	X	X	X
HBZDV4232	X	X	X	X	
HBZDV4740	X	X	X	X	
MQHBZDV3636	X	X	X	X	X
MQHBZDV4236	X	X	X	X	X
MQHBZDV4736	X	X	X	X	X
ZDV3320					X
ZDV6000					X

STANDARD FEATURES

- > Millivolt valve system allows operation during a power failure with hi/low heat and flame adjustment
- > Dual burner with Realistic Flame Pattern
- > A flame sensor that constantly monitors the pilot flame and provides 100% gas shut off if pilot is not sensed

OPTIONAL FEATURES

- Optional Pull Screens
- Overlay Doors – Deluxe, Top Half, Double Arch and Double Door
- Designer Doors – Arch or Straight Black Doors with Antique, Polished or Chrome Trims
- Fan Kit – Heat activated with variable speed control
- Brick Refractory Liner – Traditional, Herringbone or Classic
- Thermostat – Wall Mount Millivolt Thermostat or Programmable Thermostat
- Remote Control – On/Off, Thermostat On/Off, Hi/Lo On/Off
- Child Safety Screen



EVOLUTIONARY STYLE. REVOLUTIONARY FLEXIBILITY.

Kingsman Fireplaces maintains a program of continuous testing refinement and improvements of all its products. Some aspect of units shown here may be changed at any time without notice or obligation.



2340 Logan Avenue
Winnipeg, Manitoba, Canada R2R 2V3
Phone: 204.632.1962 Fax: 204.632.1960
www.marquisfireplaces.net



Unit illustrated is a HBZDV3624N Direct Vent Fireplace with LOGC44 Log Set, HB36RLH Herringbone Brick Liner, HB36CVCK Designer Clean View Circulating Kit and MQHB36SWCCBL Marquis Wall Surround - Black.